





## SURFACE WATERTIGHT BOXES



(B) (C)

- Made from ABS techno-polymer material, which ensures high impact resistance and strength.
- Working temperature: from -15°C to +60°C resistant to heat up to 650°C glow wire test.




(D)

- Screw caps GR17400 to ensure perfect insulation in compliance with IEC 536 standards - **(A)**
- Spare fixing brackets GR17402 and 17404 are available for perfect insulation & avoid accumulation of dirt in fixing points - **(E)**
- Variety of depth to allow large diameter cables to be installed - **(B)**
- Our boxes are supplied with reference on the 4 sides to easily determine the centre and save time on drilling operations - **(C)**



(A)

- Small number of internal fixing pillars to allow for increased internal working area - **(D)**
- Vibration resistant screws with universal cross/cut head.
- Resistant to shock and various environmental agents.
- CE Marked.



(E)

Available on request with heat resistance 960 °C glow wire test.

## SURFACE WATERTIGHT BOXES IP 44 / IP 55



COD.	EXTERNAL DIMENSIONS	IP
GR17000	Ø 83 x 45	44

**Watertight Box RAL 7035 grey colour, with smooth walls.**

---



COD.	EXTERNAL DIMENSIONS	IP
GR17001	Ø 68 x 40	44

**Watertight Box RAL 7035 grey colour, with smooth walls and press-on lid.**

### Accessories

GR 17400 – Spare screw caps

---



COD.	EXTERNAL DIMENSIONS	LID HEIGHT	IP
GR17002	55 x 130 x 60	14	55

**Watertight Box RAL 7035 grey colour, with smooth walls, and lid fixed with vibration proof steel screws.**

### Accessories

GR17400 – Spare screw caps  
GR17402 & GR17404 – Fixing brackets  
GR17302 – Din rail

---



COD.	EXTERNAL DIMENSIONS	IP
GR17003	80 x 80 x 40	44

**Watertight Box RAL 7035 grey colour, with smooth walls, and press-on lid.**

### Accessories

GR17400 – Spare screw caps

## SURFACE WATERTIGHT BOXES IP 55



COD.	EXTERNAL DIMENSIONS	LID HEIGHT	IP
GR17004	100 x 100 x 60	13	55

**Watertight Box RAL 7035 grey colour, with smooth walls, and lid fixed with vibration proof steel screws.**

### Accessories

GR17400 – Spare screw caps  
GR17402 & GR17404 – Fixing brackets  
GR17304 – Din rail

---



COD.	EXTERNAL DIMENSIONS	LID HEIGHT	IP
GR17006	130 x 90 x 60	13	55

**Watertight Box RAL 7035 grey colour, with smooth walls, and lid fixed with vibration proof steel screws.**

### Accessories

GR17400 – Spare screw caps  
GR17402 & GR17404 – Fixing brackets  
GR17306 – Din rail

---



COD.	EXTERNAL DIMENSIONS	LID HEIGHT	IP
GR17008	150 x 110 x 75	13	55

**Watertight Box RAL 7035 grey colour, with smooth walls, and lid fixed with vibration proof steel screws.**

### Accessories

GR17400 – Spare screw caps  
GR17402 & GR17404 – Fixing brackets  
GR17308 – Din rail  
GR17508 – Mounting plate

# SURFACE WATERTIGHT BOXES IP 55



COD.	EXTERNAL DIMENSIONS	LID HEIGHT	IP
GR17010	150 x 140 x 75	13	55

**Watertight Box RAL 7035 grey colour, with smooth walls, and lid fixed with vibration proof steel screws.**

Accessories

- GR17400 – Spare screw caps
- GR17402 & GR17404 – Fixing brackets
- GR17310 – Din rail
- GR17510 – Mounting plate



COD.	EXTERNAL DIMENSIONS	LID HEIGHT	IP
GR17012	170 x 170 x 75	13	55

**Watertight Box RAL 7035 grey colour, with smooth walls, and lid fixed with vibration proof steel screws.**

Accessories

- GR17400 – Spare screw caps
- GR17402 & GR17404 – Fixing brackets
- GR17312 – Din rail
- GR17512 – Mounting plate



COD.	EXTERNAL DIMENSIONS	LID HEIGHT	IP
GR17013	170 x 170 x 127	50	55

**Watertight Box RAL 7035 grey colour, with smooth walls, and lid fixed with vibration proof steel screws.**

Accessories

- GR17400 – Spare screw caps
- GR17402 & GR17404 – Fixing brackets
- GR17312 – Din rail
- GR17512 – Mounting plate

# SURFACE WATERTIGHT BOXES IP 55



COD.	EXTERNAL DIMENSIONS	LID HEIGHT	IP
GR17014	240 x 190 x 90	14	55

**Watertight Box RAL 7035 grey colour, with smooth walls, and lid fixed with vibration proof steel screws.**

### Accessories

- GR17400 – Spare screw caps
- GR17402 & GR17404 – Fixing brackets
- GR17314 – Din rail
- GR17514 – Mounting plate



---

COD.	EXTERNAL DIMENSIONS	LID HEIGHT	IP
GR17240	240 x 190 x 120	50	55

**Watertight Box RAL 7035 grey colour, with smooth walls, and lid fixed with vibration proof steel screws**

### Accessories

- GR17400 – Spare screw caps
- GR17402 & GR17404 – Fixing brackets
- GR17314 – Din rail
- GR17514 – Mounting plate



---

COD.	EXTERNAL DIMENSIONS	LID HEIGHT	IP
GR17016	310 x 240 x 100	25	55

**Watertight Box RAL 7035 grey colour, with smooth walls, and lid fixed with vibration proof steel screws.**

### Accessories

- GR17400 – Spare screw caps
- GR17402 & GR17404 – Fixing brackets
- GR17316 – Din rail
- GR17516 – Mounting plate

## SURFACE WATERTIGHT BOXES IP 55



COD.	EXTERNAL DIMENSIONS	LID HEIGHT	IP
GR17242	310 x 240 x 120	50	55

**Watertight Box RAL 7035 grey colour, with smooth walls, and lid fixed with vibration proof steel screws**

### Accessories

GR17400 – Spare screw caps  
 GR17402 & GR17404 – Fixing brackets  
 GR17316 – Din rail  
 GR17516 – Mounting plate



COD.	EXTERNAL DIMENSIONS	LID HEIGHT	IP
GR17244	380 x 300 x 120	50	55

**Watertight Box RAL 7035 grey colour, with smooth walls with hinges and sealed lids fixed with moulded polymer screws.**

### Accessories

GR17400 – Spare screw caps  
 GR17402 & GR17404 – Fixing brackets  
 GR17318 – Din rail  
 GR17518 – Mounting plate  
 GR17412 – Pair of hinges  
 GR17414 – Techno-polymer screws



COD.	EXTERNAL DIMENSIONS	LID HEIGHT	IP
GR17246	380 x 300 x 180	110	55

**Watertight Box RAL 7035 grey colour, with smooth walls with hinges and sealed lids fixed with moulded polymer screws.**

### Accessories

GR17400 – Spare screw caps  
 GR17402 & GR17404 – Fixing brackets  
 GR17318 – Din rail  
 GR17518 – Mounting plate  
 GR17412 – Pair of hinges  
 GR17414 – Techno-polymer screws



COD.	EXTERNAL DIMENSIONS	LID HEIGHT	IP
GR17248	460 x 380 x 120	50	55

**Watertight Box RAL 7035 grey colour, with smooth walls with hinges and sealed lids fixed with moulded polymer screws.**

Accessories

- GR17400 – Spare screw caps
- GR17402 & GR17404 – Fixing brackets
- GR17318 – Din rail
- GR17518 – Mounting plate
- GR17412 – Pair of hinges
- GR17414 – Techno-polymer screws



COD.	EXTERNAL DIMENSIONS	LID HEIGHT	IP
GR17250	460 x 380 x 180	110	55

**Watertight Box RAL 7035 grey colour, with smooth walls with hinges and sealed lids fixed with moulded polymer screws.**

Accessories

- GR17400 – Spare screw caps
- GR17402 & GR17404 – Fixing brackets
- GR17318 – Din rail
- GR17518 – Mounting plate
- GR17412 – Pair of hinges
- GR17414 – Techno-polymer screws

<p><b>CE-TEK TIDESWELL BUSINESS PARK TIDESWELL DERBYSHIRE SK17 8NY</b></p>	<p><b>TEL: 01298 872233 FAX: 01298 871155 E-MAIL: <a href="mailto:sales@ce-tek.co.uk">sales@ce-tek.co.uk</a> WEB: <a href="http://www.ce-tek.co.uk">www.ce-tek.co.uk</a></b></p>
--	--